

HARTEX 

Sovereign

Robust. Powerful. Ready
for your next adventure.





Contents

The Sureka Group	04
Our values	05
Our strengths	06
Our legacy	07
Hartex technology	09
Tyres	13
29" tyres	16
28" tyres	16
27" tyres	21
26" tyres	21
24" tyres	25
20" tyres	26
18" tyres	27
16" tyres	27
14" tyres	28
12" tyres	28
Tubes & Valves	29

SUREKA

The Sureka Group is characterised by its focus on quality, innovation and reliability, all of which go towards offering value to the customer. We work towards making a difference to the way people live and have sculpted a niche for ourselves across the world in diverse businesses including manufacturing and real estate development. We are also known for being actively involved in educational, cultural, social and philanthropic organisations.

Our Vision

We will constantly innovate better products, services and processes to uplift the quality of life for all.

Our Mission

We will consistently deliver high quality and value. Excellence will be our hallmark of performance.

We will be proactive yet flexible and grounded in all that we do.

Values – what goes 'round' comes 'round'

With a clear vision and mission in mind, we have continually been working towards creating an establishment that is built to last. In order to do that, we are conscious that we need to fulfil our responsibility to all stakeholders – customers, suppliers, government, team members and the communities from which we draw our resources – including our environment. Our sense of responsibility is deeply grounded in the values we have imbibed from our promoters:

- Our core value will be defined by knowledge.
- We will acquire and develop technology, know-how and do-how through experience, education, research and vision.
- We will be respectful, courteous and follow good etiquette when we speak or write; yet be firm, when necessary.
- We will always be fair, transparent and quality conscious in everything we do.
- We will continuously innovate and improve our products, services, processes and systems.





Our strengths



Long lasting quality and reliability

We relentlessly pursue quality excellence, creating robust and durable products. This in turn has helped us win the trust of our customers.



Innovation

We are constantly evolving, upgrading ourselves and taking on new challenges to suit our customers' every requirement.



Customisation

Our customer-centric approach enables us to provide products in a variety of weights, colours and other specifications.

We work hard to understand our customers' need along with the application of the tyres and tubes in their specific target market. This enables us to innovate and tailor-make products that provide value for money to the customer without compromising on quality or reliability.

Running the business

At Hartex, people are everything. Through professionalism, systemisation, teamwork, creativity, honesty and open communication, the members of the Hartex team continuously strive to achieve the single goal they all have: customer satisfaction.

Kemrub Private Limited was set up in 1961 as a factory that manufactured industrial rubber products and bicycle tubes in an SSI Unit at Howrah in West Bengal, India. In 1969, the facility was restructured to focus on bicycle tubes, given its vast scope in the Indian marketplace. These tubes were branded 'Hartex', named after an erstwhile group company 'Bharat Hardware and Textiles Limited'.

After a successful run, an industrial unit was set up in 1987 at Hyderabad in Telangana, India. With a production capacity of 2.4 million bicycle tyres and 0.6 million moulded tubes every year, the 'Hartex' brand name established in the market became synonymous with superior quality and reliability.

Today, Hartex has factories located at Hyderabad, Telangana, and Nagpur, Maharashtra and is in the process of setting up a third factory at Ludhiana, Punjab.

The company's 18 million bicycle tyres, 15 million bicycle moulded tubes and 15 million bicycle jointed tubes generate an estimated turnover of US \$40 million per annum, with a reach across India, Asia, the Middle East, Africa and the Americas.

We invite you to come partake in our story.

HARTEX 



Hartex Technology

Our new factory offering



For any queries please contact: corpsales@hartex.in

Hartex with more than 5 decades of rich experience in the manufacturing of bicycles tyres & tubes, has developed products to meet the changing and stringent requirements of the customers across the globe. At its state-of-the-art plant at Ludhiana, India it is equipped to manufacture world class products with in consistence with international standards and customise according to customer requirements.

Hartex can manufacture and supply all sizes and specification of tires and tubes including B+ sizes such as 27.5" & 29" as well as fat tyres & tubes (3" wide and beyond)

Products from Hartex's New Factory

Tyres

Tread compound

- Mono compound
- Dual compound
- Triple compound

Sidewall

- Gum wall tyres
- Skin wall tyres

Tyre cord

- Nylon 6 with TPI from 30 to 120+
- Nylon 6,6 with TPI from 30 to 120+
- Cotton
- Polyester

Breaker / Belt - for stronger and puncture resistant tyres

- Textile / fabric based
- Rubber compound based

Colours

- Tread -Full black or full colour
- Colour side wall
- Colour strips on the shoulder or sidewall
- Casing -Full black or full colour



Bead Types

- Rigid 2x2 steel wire
- Foldable aramid fibre (Kevlar)

Chafers types

- Nylon
- Cotton

Labels

- Heat transfer
- Rubber Decal

Tubeless tyres

Tyres with reflective tapes

Packing

- Individual tags with bar codes
- Wrappers
- Foldable tyres in rolled or folded form

Tubes

Polymer

- Natural Rubber – Moulded or autoclaved
- Butyl Rubber – Moulded

Puncture resistant tubes with sealants

Packaging

- Rolled or flat form
- Individual Plastic pouch
- Mono-carton
- Bulk packing in Plastic bags
- Bulk packing in cartons



Tyres



Get a grip on tyres

Know more about tyres and what goes in to creating them

MaxiGrip Compound

The rubber compound is developed keeping in mind the following factors: Grip, Rolling Resistance and Mileage.

Our Ultra-Premium tread compound provides solid traction, low rolling resistance and low abrasion (wear and tear) for heavy usage conditions.

MAXI GRIP

Puncture Guard Protection

These tyres are designed with a puncture protection belt of a special rubber compound between the tread and carcass (varying from 1 mm to 5 mm). This additional layer of rubber compound provides protection against tube punctures resulting in a longer-lasting tyre.



EPI/TPI (Carcass)

The density of the carcass fabric is expressed in EPI (Ends per inch) or TPI (Threads per inch). In principal, a higher EPI relates to a better quality tyre. A higher EPI tyre has low rolling resistance and good riding properties. At the same time puncture protection increases because a carcass with high thread density is difficult to puncture. Coarse fabric used in lower EPI carcass is more cut-resistant and makes the tyre more robust. The choice of fabric correlates to the purpose of use.

For EPI indication, the number of strands of all carcass layers is added together. Typically, Hartex nylon tyres are made to a 3/60 or 3/78 EPI rating with 3 layers of 20 EPI or 26 EPI underneath the tread. This is most suitable for developing markets although these same tyres can be made with various higher EPI ratings as well depending on a particular market's needs.

**01 / XTRA ACTION**

Size 29 x 2.40

ETRTO 62 - 622

PSI 50

Weight 1200 gms

**02 / XTRA ACTION**

Size 29 x 2.10

ETRTO 54 - 622

PSI 50

Weight 1095 gms

**03 / BALWAN**

Size 28 x 1½ x 1¾

ETRTO 47 - 635

PSI 60

Weight 1375 gms

**04 / SUPER SHAKTI**

Size 28 x 1½ x 1¾

ETRTO 47 - 635

PSI 60

Weight 1375 gms

**05 / ZABARDAST**

Size 28 x 1½ x 1¾

ETRTO 47 - 635

PSI 60

Weight 1450 gms

**06 / URBAN RIDE**

Size 28 x 1.75, 700 x 45C

ETRTO 47 - 622

PSI 60

Weight 930 gms

**07 / URBAN RIDE**

Size 28 x 1.60, 700 x 40C

ETRTO 42 - 622

PSI 60

Weight 830 gms

**08 / URBAN RIDE**

Size 28 x 1⅝ x 1½, 700 x 38C

ETRTO 40 - 622

PSI 60

Weight 830 gms

**09 / URBAN RIDE**

Size 28 x 1⅝ x 1⅜, 700 x 35C

ETRTO 37 - 622

PSI 65

Weight 750 gms

**10 / URBAN RIDE**

Size 28 x 1⅝ x 1¼, 700 x 32C

ETRTO 32 - 622

PSI 70

Weight 680 gms

**11 / URBAN RIDE**

Size 28 x 1.10, 700 x 28C

ETRTO 28 - 622

PSI 70

Weight 600 gms

**12 / URBAN RIDE**

Size 28 x 1.0, 700 x 25C

ETRTO 25 - 622

PSI 70

Weight 545 gms

**13 / 7 STAR**

Size 28 x 1½

ETRTO 40 - 635

PSI 60

Weight 830 gms


**19 / CHAMPION**

Size 28 x 1½

ETRTO 40 - 635

PSI 60

Weight 900 gms

**14 / 7 STAR NYLOGRIP**

Size 28 x 1½

ETRTO 40 - 635

PSI 60

Weight 830 gms

**20 / COMMANDER**

Size 28 x 1½

ETRTO 40 - 635

PSI 60

Weight 880 gms

**15 / BADSHAH**

Size 28 x 1½

ETRTO 40 - 635

PSI 60

Weight 1225 gms

**21 / DABANG**

Size 28 x 1½

ETRTO 40 - 635

PSI 60

Weight 850 gms

**16 / BAJRANGI**

Size 28 x 1½

ETRTO 40 - 635

PSI 60

Weight 1275 gms

**22 / DIAMOND**

Size 28 x 1½

ETRTO 40 - 635

PSI 60

Weight 830 gms

**17 / BALWAN**

Size 28 x 1½

ETRTO 40 - 635

PSI 60

Weight 900 gms

**23 / DIAMOND SUPREME**

Size 28 x 1½

ETRTO 40 - 635

PSI 60

Weight 1150 gms

**18 / BULLET**

Size 28 x 1½

ETRTO 40 - 635

PSI 60

Weight 1300 gms

**24 / FAULADI TAKAT**

Size 28 x 1½

ETRTO 40 - 635

PSI 60

Weight 1250 gms

**25 / GEM**

Size 28 x 1½
 ETRTO 40 - 635
 PSI 60
 Weight 850 gms

**26 / GOOD AIR**

Size 28 x 1½
 ETRTO 40 - 635
 PSI 60
 Weight 880 gms

**27 / HARTEX NO 1**

Size 28 x 1½
 ETRTO 40 - 635
 PSI 60
 Weight 1250 gms

**28 / JET**

Size 28 x 1½
 ETRTO 40 - 635
 PSI 60
 Weight 1200 gms

**29 / JUMBO - 99**

Size 28 x 1½
 ETRTO 40 - 635
 PSI 60
 Weight 1200 gms

**30 / KAWACH**

Size 28 x 1½
 ETRTO 40 - 635
 PSI 60
 Weight 830 gms

**31 / KING COBRA**

Size 28 x 1½
 ETRTO 40 - 635
 PSI 60
 Weight 1170 gms

**32 / LOADKING**

Size 28 x 1½
 ETRTO 40 - 635
 PSI 60
 Weight 1100 gms

**33 / MILKMAN**

Size 28 x 1½
 ETRTO 40 - 635
 PSI 60
 Weight 880 gms

**34 / NYLO GRIP**

Size 28 x 1½
 ETRTO 40 - 635
 PSI 60
 Weight 830 gms

**35 / OPAL**

Size 28 x 1½
 ETRTO 40 - 635
 PSI 60
 Weight 850 gms

**36 / PEHLWAN**

Size 28 x 1½
 ETRTO 40 - 635
 PSI 60
 Weight 880 gms

**37 / POWER**

Size 28 x 1½

ETRTO 40 - 635

PSI 60

Weight 880 gms

**38 / POWERPLUS**

Size 28 x 1½

ETRTO 40 - 635

PSI 60

Weight 870 gms

**39 / RHINO**

Size 28 x 1½

ETRTO 40 - 635

PSI 60

Weight 880 gms

**40 / ROCK TUF**

Size 28 x 1½

ETRTO 40 - 635

PSI 60

Weight 1250 gms

**41 / RUBY**

Size 28 x 1½

ETRTO 40 - 635

PSI 60

Weight 830 gms

**42 / SHAKTI**

Size 28 x 1½

ETRTO 40 - 635

PSI 60

Weight 870 gms

**43 / SILVER SUPREME**

Size 28 x 1½

ETRTO 40 - 635

PSI 60

Weight 980 gms

**44 / SPECIAL**

Size 28 x 1½

ETRTO 40 - 635

PSI 60

Weight 750 gms

**45 / SUPER POWER PLUS**

Size 28 x 1½

ETRTO 40 - 635

PSI 60

Weight 1200 gms

**46 / SUPERIOR**

Size 28 x 1½

ETRTO 40 - 635

PSI 60

Weight 850 gms

**47 / SUPERMAN**

Size 28 x 1½

ETRTO 40 - 635

PSI 60

Weight 1100 gms

**48 / SUPERSHAKTI**

Size 28 x 1½

ETRTO 40 - 635

PSI 60

Weight 830 gms

**61 / XTRA BANG**

Size 28 x 1½
 ETRTO 40 - 635
 PSI 60
 Weight 925 gms

**62 / XTRA POWER**

Size 28 x 1½
 ETRTO 40 - 635
 PSI 60
 Weight 925 gms

**63 / XTRA ACTION**

Size 27.5 x 2.40
 ETRTO 62 - 584
 PSI 50
 Weight 1100 gms

**64 / XTRA ACTION**

Size 27.5 x 2.10
 ETRTO 54 - 584
 PSI 50
 Weight 1030 gms

**65 / HISA**

Size 27 x 1¾
 ETRTO 37 - 630
 PSI 65
 Weight 775 gms

**66 / SPORTS**

Size 27 x 1¼
 ETRTO 32 - 630
 PSI 70
 Weight 620 gms

**67 / XTRA ACTION**

Size 26 x 2.40
 ETRTO 62 - 559
 PSI 50
 Weight 1190 gms

**68 / XTRA ACTION**

Size 26 x 2.35
 ETRTO 60 - 559
 PSI 50
 Weight 1170 gms

**69 / MOUNTAIN**

Size 26 x 2.125
 ETRTO 57-559
 PSI 50
 Weight 950 gms

**70 / OVERDRIVE**

Size 26 x 2.125
 ETRTO 57 - 559
 PSI 50
 Weight 950 gms

**71 / TUF ROCK**

Size 26 x 2.125
 ETRTO 57 - 559
 PSI 50
 Weight 1140 gms

**72 / WILDCAT**

Size 26 x 2.125
 ETRTO 57 - 559
 PSI 50
 Weight 1080 gms

**49 / SUPERSTAR**

Size 28 x 1½
 ETRTO 40 - 635
 PSI 60
 Weight 870 gms

**55 / TITAN**

Size 28 x 1½
 ETRTO 40 - 635
 PSI 60
 Weight 880 gms

**50 / SUPREME TAKAT**

Size 28 x 1½
 ETRTO 40 - 635
 PSI 60
 Weight 1200 gms

**56 / TOOFAN**

Size 28 x 1½
 ETRTO 40 - 635
 PSI 60
 Weight 880 gms

**51 / TAAKATVAR**

Size 28 x 1½
 ETRTO 40 - 635
 PSI 60
 Weight 1325 gms

**57 / TT KING**

Size 28 x 1½
 ETRTO 40 - 635
 PSI 60
 Weight 850 gms

**52 / TARZAN**

Size 28 x 1½
 ETRTO 40 - 635
 PSI 60
 Weight 1100 gms

**58 / ULTIMO**

Size 28 x 1½
 ETRTO 40 - 635
 PSI 60
 Weight 830 gms

**53 / THUNDER**

Size 28 x 1½
 ETRTO 40 - 635
 PSI 60
 Weight 1160 gms

**59 / VAN**

Size 28 x 1½
 ETRTO 40 - 635
 PSI 60
 Weight 1200 gms

**54 / TIGER**

Size 28 x 1½
 ETRTO 40 - 635
 PSI 60
 Weight 1100 gms

**60 / WINNER**

Size 28 x 1½
 ETRTO 40 - 635
 PSI 60
 Weight 1160 gms

**73 / XTRA ACTION**

Size 26 x 2.125

ETRTO 57 - 559

PSI 50

Weight 980 gms

**79 / HARD TRAK**

Size 26 x 1.95

ETRTO 52 - 559

PSI 50

Weight 880 gms

**74 / AURUM**Size 26 x 2 x 1 $\frac{3}{4}$

ETRTO 54 - 571

PSI 50

Weight 1050 gms

**80 / MOUNTAIN**

Size 26 x 1.95

ETRTO 52 - 559

PSI 50

Weight 1006 gms

**75 / DIAMOND SUPREME**Size 26 x 2 x 1 $\frac{3}{4}$

ETRTO 54 - 571

PSI 50

Weight 1250 gms

**81 / OVERDRIVE**

Size 26 x 1.95

ETRTO 52 - 559

PSI 50

Weight 880 gms

**76 / ARROW**

Size 26 x 1.95

ETRTO 52 - 559

PSI 50

Weight 880 gms

**82 / STUNTMAN**

Size 26 x 1.95

ETRTO 52 - 559

PSI 50

Weight 1000 gms

**77 / CITY**

Size 26 x 1.95

ETRTO 52 - 559

PSI 50

Weight 1006 gms

**83 / TUF**

Size 26 x 1.95

ETRTO 52 - 559

PSI 50

Weight 1006 gms

**78 / CLIMBER**

Size 26 x 1.95

ETRTO 52 - 559

PSI 50

Weight 830 gms

**84 / XTRA ACTION**

Size 26 x 1.95

ETRTO 52 - 559

PSI 50

Weight 930 gms

**85 / EXCEL**

Size 26 x 1.75
 ETRTO 47 - 559
 PSI 50
 Weight 905 gms

**86 / MUD-N-SNOW**

Size 26 x 1.75
 ETRTO 47 - 559
 PSI 50
 Weight 880 gms

**87 / XTRA ACTION**

Size 26 x 1.75
 ETRTO 47 - 559
 PSI 50
 Weight 885 gms

**88 / POWER MAX**

Size 26 x 1 1/2 x 1 5/8
 ETRTO 44 - 584
 PSI 60
 Weight 790 gms

**89 / SUPER**

Size 26 x 1 1/2 x 1 5/8
 ETRTO 44 - 584
 PSI 60
 Weight 870 gms

**90 / ULTRA**

Size 26 x 1 1/2 x 1 5/8
 ETRTO 44 - 584
 PSI 60
 Weight 1090 gms

**91 / 7 STAR NYLOGRIP**

Size 26 x 1 1/2
 ETRTO 40 - 584
 PSI 60
 Weight 750 gms

**92 / COMMANDER**

Size 26 x 1 1/2
 ETRTO 40 - 584
 PSI 60
 Weight 760 gms

**93 / CAPTAIN**

Size 26 x 1 1/2
 ETRTO 40 - 584
 PSI 60
 Weight 760 gms

**94 / DABANG**

Size 26 x 1 1/2
 ETRTO 40 - 584
 PSI 60
 Weight 780 gms

**95 / DIAMOND**

Size 26 x 1 1/2
 ETRTO 40 - 584
 PSI 60
 Weight 695 gms

**96 / HONDA**

Size 26 x 1 1/2
 ETRTO 40 - 584
 PSI 60
 Weight 980 gms

**97 / JUNIOR**

Size 26 x 1½
 ETRTO 40 - 584
 PSI 60
 Weight 660 gms

**103 / SUPREME**

Size 26 x 1½
 ETRTO 40 - 584
 PSI 60
 Weight 810 gms

**98 / MILKMAN**

Size 26 x 1½
 ETRTO 40 - 584
 PSI 60
 Weight 760 gms

**104 / TITAN**

Size 26 x 1½
 ETRTO 40 - 584
 PSI 60
 Weight 760 gms

**99 / NYLO GRIP**

Size 26 x 1½
 ETRTO 40 - 584
 PSI 60
 Weight 750 gms

**105 / VAN**

Size 26 x 1½
 ETRTO 40 - 584
 PSI 60
 Weight 980 gms

**100 / POWER**

Size 26 x 1½
 ETRTO 40 - 584
 PSI 60
 Weight 810 gms

**106 / TT KING**

Size 26 x 1½
 ETRTO 40 - 584
 PSI 60
 Weight 695 gms

**101 / RHINO**

Size 26 x 1½
 ETRTO 40 - 584
 PSI 60
 Weight 750 gms

**107 / SPORTS**


Size 26 x 1½
 ETRTO 40 - 584
 PSI 60
 Weight 760 gms

**102 / SUPERSHAKTI**

Size 26 x 1½
 ETRTO 40 - 584
 PSI 60
 Weight 760 gms

**108 / XTRA POWER**

Size 26 x 1½
 ETRTO 40 - 584
 PSI 60
 Weight 850 gms



**121 / XTRA ACTION** ●

Size 24 x 2.125

ETRTO 57 - 507

PSI 50

Weight 890 gms

**122 / CITY**

Size 24 x 1.75

ETRTO 47 - 507

PSI 50

Weight 850 gms

**123 / LITTLE MASTER** ●

Size 24 x 1.75

ETRTO 47 - 507

PSI 50

Weight 840 gms

**124 / XTRA ACTION** ●

Size 24 x 1.75

ETRTO 47 - 507

PSI 50

Weight 800 gms

**125 / SPORTS**Size 24 x 1³/₈

ETRTO 37 - 540

PSI 65

Weight 615 gms

**126 / HONDA**Size 24 x 1¹/₂

ETRTO 40 - 534

PSI 60

Weight 945 gms

**127 / JUNIOR**Size 24 x 1¹/₂

ETRTO 40 - 534

PSI 60

Weight 625 gms

**128 / MILKMAN**Size 24 x 1¹/₂

ETRTO 40 - 534

PSI 60

Weight 625 gms

**129 / XTRA ACTION**

Size 20 x 2.40

ETRTO 62 - 406

PSI 50

Weight 860 gms

**130 / RAZOR**

Size 20 x 2.35

ETRTO 60 - 406

PSI 50

Weight 850 gms

**131 / CUBE**

Size 20 x 2.125

ETRTO 57 - 406

PSI 50

Weight 770 gms

**132 / MOUNTAIN**

Size 20 x 2.125

ETRTO 57 - 406

PSI 50

Weight 710 gms

**133 / RAZOR**

Size 20 x 2.125

ETRTO 57 - 406

PSI 50

Weight 730 gms

**139 / SPORTS**

Size 20 x 1.75

ETRTO 47 - 406

PSI 50

Weight 645 gms

**134 / CUBE**

Size 20 x 1.95

ETRTO 52 - 406

PSI 50

Weight 740 gms

**140 / TUF**

Size 20 x 1.75

ETRTO 47 - 406

PSI 50

Weight 645 gms

**135 / RAZOR**

Size 20 x 1.95

ETRTO 52 - 406

PSI 50

Weight 680 gms

**141 / HARTEX**

Size 20 x 1 3/8

ETRTO 37 - 451

PSI 65

Weight 490

**136 / MUD-N-SNOW**

Size 20 x 1.75

ETRTO 47 - 406

PSI 50

Weight 700 gms

**142 / SPORTS**

Size 18 x 1.75

ETRTO 47 - 355

PSI 50

Weight 590 gms

**137 / RAZOR**

Size 20 x 1.75

ETRTO 47 - 406

PSI 50

Weight 650 gms

**143 / CUBE**

Size 16 x 2.125

ETRTO 57 - 305

PSI 50

Weight 580 gms

**138 / RUBY**

Size 20 x 1.75

ETRTO 47 - 406

PSI 50

Weight 610 gms

**144 / RAZOR**

Size 16 x 2.125

ETRTO 57 - 305

PSI 50

Weight 555 gms

**145 / EXCEL**

Size 16 x 2.125

ETRTO 57 - 305

PSI 50

Weight 595 gms

**146 / MOUNTAIN**

Size 16 x 2.125

ETRTO 57 - 305

PSI 50

Weight 490 gms

**147 / RAZOR**

Size 16 x 1.75

ETRTO 47 - 305

PSI 50

Weight 500 gms

**148 / SPORTS**

Size 16 x 1.75

ETRTO 47 - 305

PSI 50

Weight 535 gms

**149 / HARTEX**Size 16 x 1³/₈

ETRTO 37 - 349

PSI 65

Weight 375 gms

**150 / RAZOR**

Size 14 x 2.35

ETRTO 60 - 254

PSI 50

Weight 520 gms

**151 / RAZOR**

Size 14 x 2.125

ETRTO 57 - 254

PSI 50

Weight 460 gms

**152 / RAZOR**

Size 14 x 1.75

ETRTO 47 - 254

PSI 50

Weight 415 gms

**153 / CUBE**Size 12¹/₂ x 2¹/₄

ETRTO 57 - 203

PSI 50

Weight 410 gms

**154 / MOUNTAIN**Size 12¹/₂ x 2¹/₄

ETRTO 57 - 203

PSI 50

Weight 410 gms

Tubes & Valves

Tubes

Butyl tubes

CATEGORY	SIZE	WIDTH (MM)
Tour 28	37/47-622/635	38
Tour 28 Slim	28/37-622/635	33
Race 28	18/25-622/630	23
MTB 29 Wide	57/62-622	50
MTB 29	47/57-622	45
MTB 27.5 Wide	57/62-584	50
MTB 27.5	47/57-584	45
MTB 26 Wide	57/62-559	50
MTB 26	47/57-559	45
Tour 26	37/47-559/590	38
Tour 26 Slim	28/37-559/590	33
Compact 24 Wide	57/62-507	50

CATEGORY	SIZE	WIDTH (MM)
Compact 24	47/57-507	45
Compact 24 Slim	32/47-507/544	38
Compact 20 Wide	57/62-406	50
Compact 20	47/57-406	45
Compact 20 Slim	32/47-406/451	38
Compact 18	47/57-355	45
Compact 18 Slim	32/47-355/400	38
Compact 16 Wide	57/62-305	50
Compact 16	47/57-305	45
Compact 16 Slim	32/47-305/349	38
Compact 14 Wide	47/62-254	50
Compact 12 Wide	47/62-203	50

Available in all sizes and weights as per customer requirement.

Natural rubber tubes

SIZE	ETRTO
28 x 1½	40 - 635
27 x 1¼	32 - 630
26 x 1.75 / 2.125	47 / 57 - 559
26 x 1½	40 - 584

SIZE	ETRTO
26 x 1¾	37 - 590
24 x 1.75 / 2.125	47 / 57 - 507
20 x 1.75 / 2.125	47 / 57 - 406
16 x 1.75 / 2.125	47 / 57 - 305




Available in all sizes and weights as per customer requirement.

Packaging



Biscuit/pouch packing and box packing options are available for all tubes. The packing artwork can also be customised.

Valves





Sovereign EXPORTS

168-b, Industrial Estate, Ludhiana - 141003, Punjab, India

Ph. : +91-161-5204000, Fax : +91-161-5011161

E-mail : info@sovereignexports.com

Website : [Http://www.sovereignexports.com](http://www.sovereignexports.com)